

Design Review Subcommittee (DRSC)

Meeting Date: February 13, 2019

PLANNER: Katie Crockett, Associate Planner

SUBJECT: Discretionary Sign Permit 18-256, 600 Avenida Pico Circle K

<u>Master Sign Program</u>, a request to modify a Master Sign Program for an existing service station at 600 Avenida Pico.

BACKGROUND:

Site Data

The site is located on the south side of Avenida Pico east of the Interstate 5 northbound off-ramp (see Attachment 1, Location Map). The General Plan designates Avenida Pico as a major scenic corridor. Additionally, the site is designated a freeway gateway. The site is zoned Community Commercial (CC2) and abuts the I-5 freeway to the west, a future Starbucks drive-thru (currently under construction) and a McDonalds drive-thru to the east, and San Clemente High School to the south. Across Avenida Pico to the north is an undisturbed hillside portion of the lot occupied by St. Andrews-By-the-Sea Church.

The site is developed with a convenience store, automated car wash tunnel, and fuel canopy containing 6 double-sided pump stations. The existing convenience store has a manufactured tile gable roof with off-white stucco walls. The fuel canopy is also manufactured tile with an open gable and white square columns.



Figure 1 – Existing Conditions

The site is the subject of an open code compliance case. Several signs were modified or added without required approvals and permits. This proposed Master Sign Program (MSP)

addresses some of these additions/modifications. Any unpermitted signs not included in the proposed MSP will be addressed through conditions should the project be approved. If the application is withdrawn or denied, the unpermitted signs will be addressed through continued code compliance action.

Prior Entitlements

The service station was approved by the City in 1989 under Use Permit (UP) 88-19 and Sign Exception Permit (SEP) 88-01. The service station was granted approval of a Master Sign Program (MSP) through Discretionary Sign Permit (DSP) 12-107. In 2017, the service station received an Administrative Sign Permit (ASP 17-026) for copy changes to existing approved signs and new pump number wedges.

Why is DRSC Review Required?

Zoning Ordinance, Section 17.12.025 requires Design Review Subcommittee (DRSC) review of any DSPs. The DRSC must review the request to ensure the proposed signage meets standards related to design, size, materials, lighting, and visual impacts. Zoning Ordinance, Section 17.84.020.G requires a MSP for any gas/service station that proposes new signs or modification to existing signs.

PROJECT DESCRIPTION:

The applicant proposes a modified MSP that includes a wall sign change-out, new and modified car wash directional signs, monument sign copy change, and pole sign copy change. Most of the modifications are limited to copy changes, but the applicant is proposing new ground mounted directional signs as well. Additionally, this review will allow the City to more comprehensively consider modifications permitted through ASP 17-026. Existing approved signage for the service station amounts to 172.87 square feet. The applicant requests an additional 18.83 square feet, which would bring the total to 191.7 square feet. Additional unpermitted signage installed at the site will be removed. The proposed MSP is provided as Attachment 2. Table 1 below details the various sign types included in the proposed MSP.

Table 1 – Proposed Signage

| Proposed Signage | Modification Proposed | Sign Square Footage |
|---------------------------------------|----------------------------|--------------------------------|
| Pole Sign (1) | Existing, reface | 120 square feet (60 each side) |
| Monument Sign – Including Pricing (1) | Existing, reface | 32.37 square feet (each side) |
| Circle K Wall Sign (1) | Reduced in size from 16 sf | 13.33 square feet |

| Pump Aprons/Valences (12) | Increased area from 4.5 sf | 26 square feet (2.2 sf /each) |
|--|--|---|
| Pump Number Wedges (12)* | Existing but not previously considered through MSP | 12 square feet (approx. 1 sf /each) |
| Air and Water Sign* | Existing but not previously considered through MSP | 3 square feet |
| Vacuum Sign* | Existing but not previously considered through MSP | 1.89 square feet |
| Car wash directional – wall mounted (2)* | Change copy/color/illumination from previously approved MSP | 26.22 square feet (13.11 sf /each) |
| Car wash directional – ground mounted (1)* | New | 8 square feet |
| Car wash automated Point of Sale | Existing but not previously considered through MSP | 7.4 square feet |
| Car wash instructions | Existing but not previously considered through MSP | 8.27 square feet |
| Car wash timer display | New | 2.83 square feet |
| Total Proposed Sign Area | | 191.7 square feet (18.83 sf of new signage) |

^{*}These signs are considered "directional signs." An additional Administrative Sign Permit is not required for directional signs, and the square footage is not tabulated in the total sign area of the site.

The approved MSP did not consider the painted canopy band as signage for the purposes of calculating total sign area. Because the applicant does not propose changes to the canopy, staff excluded the canopy band from the signage calculation.

ANALYSIS:

In accordance with Zoning Ordinance Section 17.84.020(D)(1)(b), service stations are allowed one square foot of sign area for each lineal foot of street frontage. The site has 165 feet of frontage according to the assessors parcel map; therefore the service station is permitted to have 165 square feet of sign area. The existing approved sign area is 172.87 square feet, and the proposed signage area is 191.7 square feet. Staff recommends the

sign area be reduced to not exceed the previously permitted amount of 172.87 square feet. There is an additional 69.61 square feet of "directional signage" not included in the total sign area for the site, which is discussed in further detail, below.

Pole Sign

The pole sign is located on the northwest corner of the property, near the freeway off-ramp and is freeway visible. The sign conforms to current height and size requirements for pole signs, and a copy change was approved in 2017 through an ASP. No additional changes are proposed.

Monument Sign

The monument sign is located at the northeast corner of the property. The sign conforms to code requirements and a copy change was approved in 2017 through an ASP. No additional changes are proposed.

Wall Sign

The wall sign is located at the front of the convenience store. The City approved the sign in 2013 through the DSP process, and it is a painted hand-carved wood sign with external goose-neck lighting. The existing sign is 16 square feet. The applicant proposes to replace it with a new 13.33 square foot sign of the same design and materials.

Pump Aprons/Valences

The approved MSP does not include signs on pump aprons and valences. The applicant proposes to modify the vinyl decals for the pump aprons and valences that identify the branding and utilize brand colors. The area of the skirt and valences that contain sign copy/branding are included in sign area. While only sign copy areas are included in the "sign area" listed in the MSP as well as Table 1 of this report, the entire pump could be included in sign area.

Canopy Branding

The canopy has an existing blue band shown on the most recently approved MSP, but was not factored into sign area. Staff is unsure as to whether this was a part of the original service station design or if it was excluded from the sign area calculation. Because the blue band is the primary branding color of Mobil, and is not consistent with design guidelines, staff believes it should have been included in the sign area. However, since the blue band is existing and other approvals have not included it, staff does not recommend that it be removed or included in the total sign area calculation.

Directional Signs

There are several types of directional signs included in the proposed MSP, which are not included in the total sign area. The Zoning Ordinance does not require an Administrative Sign Permit and does not set forth any limitations on size or placement. Directional signs

are defined as "any on-site sign which is designed, erected, and maintained to serve as a public convenience in directing pedestrian and vehicular traffic, but not used for the purpose of advertising uses or activities on the site." The total area of proposed "directional signage" is 69.61 square feet. Directional signs are shown and discussed in more detail in Attachment 4.

Consistency with Design Guidelines and Standards

The General Plan requires high quality architecture at City gateways. For similar service station projects, staff utilized the Architectural Overlay (A-Overlay) design standards and the City's Design Guidelines for guidance on the style, lighting, and finish of signs that are in character with Spanish architecture. These standards and guidelines require signage to be in character with the building's architecture. However, staff does not recommend replacement of signs in the approved MSP that may not conform to the A-Overlay standards.

Table 2 summarizes the sign program's consistency with standards and guidelines.

Table 2 – Project Consistency

| Design Guideline/Zoning Standard/General Plan Policy | Project Consistency |
|---|--|
| Section 17.84.030(D)(1)(b)(ii): "For service stations, one square foot of sign area allowed for each lineal foot of street frontage." | Inconsistent. The proposal increases total sign area by 18.83 square feet. The total sign area (of all applicable signs) should be decreased to not exceed 172.87 square feet as previously approved. This exceeds the 165 square feet permitted by code, but given the relatively minor modifications proposed, staff believes maintaining the amount of approved signage is appropriate. |
| Section 17.84.020(B)(1)(f): "Sign design, scale, color and materials shall be selected that are compatible in style with the building it serves". | Partially consistent. While the site is not located in the Architectural Overlay, the A-Overlay provides guidance on the style, lighting, and finish of signs for gateway locations. A-Overlay standards require signs that appear hand-crafted with pin-mounted letters, painted letters, sandblasted wood, or similar materials, and have back-lighting or external lighting. However, these standards are not generally applied for changes of copy. These standards could apply to new signs, such as the pump skirts/valences and various types of directional signage proposed. Handcrafted signs on the pumps would strongly contrast to the signs that are changes of copy. Staff is supportive of the maintaining the existing pumps, consistent with prior approvals and the monument and pole sign. However, the use of branding colors should be reduced to reduce visual clutter and blend with the |

| | building architecture. Additionally, several signs could be modified to better match SCR architecture. |
|---|--|
| Section 17.88.030: "Directional sign' means any on-site sign which is designedto serve as a public convenience in directing pedestrian and vehicular traffic, but not used for the purpose of advertising uses or activities on the site." | Partially consistent. The ground mounted car wash directional sign is proposed at the front property line adjacent to a site driveway. The proposed sign is highly visible from the street and serves to advertise a use on the site. Staff recommends removing the sign or relocating it to the interior of the site. |
| Section 17.84.020(B)(2)(d): General lighting standards. "Internally lighted signs shall be a maximum of 200,000 lumens" | Inconsistent. The plans do not specify the maximum lumen level. While internal illumination is discouraged for signs in the A-Overly, staff does not recommend requiring replacement of the existing approved internally illuminated signs. |
| Natural Resources Element of the General Plan, Dark Skies, NR-7.03: "We require that site lighting for commercial and industrial uses be unobtrusive and constructed or located so that only the intended area is illuminated, off-site glare is minimized, and adequate safety is provided." | Partially consistent. Many of the illuminated signs have been previously approved and staff does not recommend requiring the applicant to replace the signs. However, staff does not support the addition of any internally illuminated signs such as the wall-mounted car wash directional signs. |
| General Design Guidelines for All Architecture Subject to Discretionary Design Review II.C.3.e: "Carefully integrate signage with the design concept of the building and site. Signage should be consistent with the architectural character of the building." | Inconsistent. Several different colors that convey corporate branding are utilized in various signage throughout the site. The building is white stucco with red clay tile roof. Therefore staff recommends that the colors of all directional signage be toned down to complement the building architecture and reduce visual clutter. This may be accomplished by utilizing metal pin mounted letters for wall mounted directional signs, utilizing metal cutout details for mounting of pump numbers, and redesigning the ground mounted directional sign to include less background color and a metal cutout detail. |
| Section 17.84.020(B)(3)(a)(c)(e): "Landscaped planters shall be required to be installed at the base of all permanent freestanding signsshall be irrigated and landscaped with living plant material[and] | Inconsistent. Landscaping at the base of the monument and pole sign have not been maintained and contain predominantly bare dirt and mulch. The applicant should provide a landscape plan showing landscape at the base of the monument and pole sign and its installation should be a condition of project approval. |

| shall be maintained in a neat | |
|----------------------------------|--|
| and healthy manner" | |
| Section 17.84.020(C)(1)(2): | Partially consistent. The service station has |
| "Signs within the Architectural | existing approved signs including the pump |
| Overlayshall be hand-crafted | valences and skirts, monument sign, and pole sign |
| in appearance[and] shall be | inconsistent with these requirements. Staff does |
| constructed of and mounted | not recommend all signs be brought into |
| and supported with materials | conformance. However, for new or modified signs, |
| compatible with the Spanish | particularly several of the directional signs, staff |
| architectural theme including, | recommends design modifications to incorporate |
| but not limited to, stained wood | additional elements more in line with SCR |
| supports and accents, troweled | architecture, including metal mounting for the pump |
| stucco applications, painted | numbers, modified style of ground mounted |
| terra cotta tiles, ornamental | directional sign incorporating metal detail, and pin |
| wrought iron" | mounted metal letters for the wall mounted |
| | directional sign. |

RECOMMENDATIONS:

To achieve the General Plan's goals, staff recommends the following design changes:

- 1. Reduce total sign area (of applicable signs) by 18.83 square feet to 172.87 square feet as originally permitted through prior MSPs. This could be achieved in part by reducing signage/branding on pumps (valences and skirts).
- 2. Utilize white color on the body of the fuel pumps to blend with the architecture of the site and reduce visual clutter.
- 3. Redesign pump number signs on canopy columns to more closely align with SCR styles required for gateways. This could include utilizing ornamental metal mounting.
- 4. Modify wall mounted car wash directional signs to remove red background color, remove illumination, and utilize sign/letter type consistent with SCR design guidelines, such as pin mounted metal letters.
- 5. Relocate ground mounted car wash directional sign to interior of lot to meet definition of "directional sign" and reduce visual clutter at the street.
- 6. Modify ground mounted car wash directional sign to utilize materials and style more consistent with SCR design guidelines, such as reducing the acrylic/vinyl area and incorporating a metal cutout detail.
- Modify POS so that base and rear are white to blend with the building.
- 8. Remove the additional rider on the car wash instructions and incorporate all signage into one frame.
- 9. Provide illumination and color temperature information on sign plans. Internally illuminated signs shall not exceed 200,000 lumens and the color temperature of all lights shall be 4,000 degrees Kelvin.

10. Provide a planting plan showing landscape in planters at the base of the monument and pole signs, which shall be installed prior to final sign inspections.


CONCLUSION:

Staff seeks DRSC concurrence with the above recommendations and welcomes additional input. DRSC comments are intended to assist the applicant in designing a project that best complies with the City's Design Guidelines and applicable policies.

Attachments:

- 1. Location Map
- 2. Proposed Master Sign Program
- 3. Site Photos
- 4. Directional Sign Summary with Images

ATTACHMENT 1





City of San Clemente

DSP 18-256

600 Avenida Pico





Property Description

The subject parcel within the city of San Clemente ID number 679-042-01 located south of Avenida Pico and east of Interstate 5. The subject parcel is 0.840-acres in size with a property class of Commercial(3). The parcel is currently occupied by an existing Service station that in this project will be refreshed with a new brand image to replace the older scheme. Existing architecture are to remain a large part of the site image and to remain generally unchanged in the scope of the current refresh project.

The existing building general square footage is about 4,000 square feet encompassing a minor proportion of the lot. The abutting property to the east are of a small lot containing a single restaurant building and to the south of the subject parcel is a large lot used for recreational sports and other activities

Project Description

The proposed project involves the redecoration of the existing convenience store and car wash building on the subject parcel. The design proposed need only to follow the design using paints to best match building scheme. Fueling canopy imaging to remain untouched under this project.


The primary identification and price cabinet signs located along Avenida Pico and have been previously refaced with congruent faces of similar sizes previous to this current proposal. Reimaging of the store to pertain to the existing signs with refaces of existing wooden signs and new channel box sets that puts forth the design of the new brand look without interfering with the existing architectural aesthetic of the building. Car wash building trim and signage to be installed above the enter and exit portals that represent the new brand image look for car wash buildings. Adjacent pay and advertisement strictures shall follow in terms of design as being reimaged frames and painted chassis for the electronic Point of Sale System save for the new included car wash machine timer enclosure mounted to the wall. Clearance bar structure to be installed on the entrance driveway of the car wash to prevent customers from obstructing the car wash in vehicles deemed to exceed the wash machine's working envelope.

Proposed hours of Illumination: Dusk - Dawn (Photosensors activate illumination based on ambient lighting) Proposed normal business hours: 6 am - 9 pm


Table of Contents

ATTACHMENT 2

- 1. Project Narrative
- 2. Site Plan
- 3. Sales Overview
- 4. Previously Approved Pump
- 5. Previously Approved Main ID Sign (1)
- 6. Previously Approved Main ID Sign (2)
- 7. Store Sign Layout
- 8. Car Wash Entrance Layout and Timer Detail
- 9. Car Wash Exit and Portal Detail
- 10. Portal Layout
- 11. Portal Measurements
- 12. Portal Illumination Details
- 13. Directional Sign Details










Owner Information



and cannot be reproduced without written consent of owner

Approval

| | Q Square Footage | | | |
|---|------------------|------------------------|------------------------|--|
| Sign | Q T Y | Existing | Proposed | |
| Mobil W | 1 | 32.37 sqft | 32,37 sqft | |
| Mobil (No | 1 | 59,16 sqft | 59,16 sqft | |
| | 1 | 13.33 sqft | 13.33 sqft | |
| <u>.</u> | 1 | 7.4 sq ft (E) | 7.4 sqft Reface | |
| 1 | 1 | No Signage | 8.27 sqft | |
| TIME LEFT 01:30 50:241:400 () 00:41:000 () | 1 | No Signage | 2.83 sqft | |
| CAR WASH | 2 | 40.0 sqft | 26,22 sqft | |
| CAR WASH | 1 | No Signage | 9.6 sqft | |
| | 2 | Blue Band to remain | Blue Band to remain | |
| C Springs | 8 | 17.3 sqft | 17.3 sqft | |
| CIRCLE () AIR-WATER | 1 | No Signage | 3 sqft | |
| VACUUM | 1 | 1.89 sqft | 1.89 sqft | |
| 3 | 6 | No Signage | 6 . 03 sqft | |
| TOTALS | | 171.45 sqft | 180,36 sqft | |





O'Connor Electric | Now part of the PROMOTION PLUS | SIGN CO., INC Family | 21034 Osborne St. Canoga Park, CA 91304 | (P) 818.993.5406 | (F) 818.993.3174

| Class | Job Location |
|-------|---|
| C | Circle K #2709470 600 Avenida Pico San Clemente, CA 92672 |

| O WITCH INTOITHIGHOUT |
|-----------------------------|
| Circle K Stores, Inc. |
| 255 E. Rincon St, Suite 100 |
| Corona, CA. 92879 |
| 951-270-5118 |

Owner Information

| Project Infor | mation |
|---------------|------------|
| Project | – Car Wash |
| Designed by | – CP |


| Approval | | |
|----------|--|--|
| | | |
| | | |

Owner - Date I have reviewed all renderings and I am satisfied with the look and the scope of work listed within.

This rendering is property of Promotion Plus Sign Co., Inc. and cannot be reproduced without written consent of owner

San Cle High

600 Avenida Pico







Job Location

Circle K #2709470 600 Avenida Pico San Clemente, CA 92672

Owner Information

Circle K Stores, Inc. 255 E. Rincon St, Suite 100 Corona, CA. 92879 951-270-5118


Project Information

Project — Car Wash
Designed by — CP

Approval

Owner - Date I have reviewed all renderings and I am satisfied with the look and the scope of work listed within.

This rendering is property of Promotion Plus Sign Co., Inc. and cannot be reproduced without written consent of owner





O'Connor Electric Now part of the PROMOTION PLUS SIGN CO., INC Family 21034 Osborne St. Canoga Park, CA 91304 (P) 818.993.5406 (F) 818.993.3174 State Licence 853228

| Class | Job Location |
|-------|----------------|
| | Circle K #2709 |

2709470 600 Avenida Pico San Clemente, CA 92672

Owner Information


Circle K Stores, Inc. 255 E. Rincon St, Suite 100 Corona, CA. 92879 951-270-5118

Car Wash Designed by - (F

Approval

Owner -Date -I have reviewed all renderings and I am satisfied with the look and the scope of work listed within.

This rendering is property of Promotion Plus Sign Co., Inc. and cannot be reproduced without written consent of owner





21034 Osborne St. Canoga Park, CA 91304 (P) 818.993.5406 (F) 818.993.3174

| Class | Job Location |
|-------|---|
| C | Circle K #2709470 600 Avenida Pico San Clemente, CA 92672 |

Circle K Stores, Inc. 255 E. Rincon St, Suite 100 Corona, CA. 92879 951-270-5118


Owner Information

| Trojeci illioillialioli | | | | | |
|---------------------------------------|--|--|--|--|--|
| Project — Car Wash | | | | | |
| Designed by + CP | | | | | |
| , , , , , , , , , , , , , , , , , , , | | | | | |
| | | | | | |

Approval Owner -Date -

I have reviewed all renderings and I am satisfied with the look and the scope of work listed within.

This rendering is property of Promotion Plus Sign Co., Inc. and cannot be reproduced without written consent of owner





OConnor Electric Now part of the PROMOTION PLUS SIGN CO., INC Family
21034 Osborne St. Canoga Park, CA 91304
(P) 818.993.5406 (F) 818.993.3174

Class Job Location
Circle K #2709470
600 Avenida Pico

San Clemente, CA 92672

Circle K Stores, Inc. 255 E. Rincon St, Suite 100 Corona, CA. 92879 951-270-5118

Owner Information

Project Car Wash
Designed by CP

Approval

Owner - Date I have reviewed all renderings and I am satisfied with the


look and the scope of work listed within.

This rendering is property of Promotion Plus Sign Co., Inc. and cannot be reproduced without written consent of owner





Un-permitted outdoor signage to be removed



Hard Carved Wooden sign Use existing external illumination





Oconnor Electric Now part of the PROMOTION PLUS SIGN CO., INC. Family 21034 Osborne St. Canoga Park, CA 91304 (P) 818.993.5406 (F) 818.993.3174

State Licence 853228

Class

Job Location

Circle K #2709470 600 Avenida Pico San Clemente, CA 92672

Owner Information


Circle K Stores, Inc. 255 E. Rincon St, Suite 100 Corona, CA. 92879 951-270-5118 Project Information

Project — Car Wash
Designed by—CP

Approval


Owner - Date I have reviewed all renderings and I am satisfied with the look and the scope of work listed within.

This rendering is property of Promotion Plus Sign Co., Inc. and cannot be reproduced without written consent of owner



Silent Operation POS Provided and Installed by Mark VII





PERMIT PACK





SW #6088 Nuthatch

ACM panels installed over aluminum framing. Letters routed out of ACM panels with white acrylic panels mounted behind openings Vinyl decals applied over panels.





Circle K #2709470 600 Avenida Pico San Clemente, CA 92672

Owner Information

Circle K Stores, Inc. 255 E. Rincon St, Suite 100 Corona, CA. 92879 951-270-5118

Project Information


Project — Car Wash
Designed by CP

Approval


Owner - Date I have reviewed all renderings and I am satisfied with the look and the scope of work listed within.

This rendering is property of Promotion Plus Sign Co., Inc. and cannot be reproduced without written consent of owner

Portal Attachment Details



Waterproof Enclosure for Timer





| Class | Job Location | Owner Information | Project Information | Approval | |
|-------|---------------------------------------|--|---|--|--|
| | Circle K #2709470 600 Avenida Pico | Circle K Stores, Inc. 255 E. Rincon St, Suite 100 | Project ———— Car Wash Designed by — CP | Owner - | Date - |
| | San Clemente, CA 92672 | Corona, CA. 92879 951-270-5118 | | I have reviewed all renderin look and the scope of work | ngs and I am satisfied with the listed within. |
| | | | | | of Promotion Plus Sign Co., Inc. without written consent of owner |





Ocumer Electric Now part of the PROMOTION PLUS SIGN CO., INC Family 21034 Osborne St. Canoga Park, CA 91304 (P) 818.993.5406 (F) 818.993.3174



Circle K Stores, Inc. 255 E. Rincon St, Suite 100 Corona, CA. 92879 951-270-5118

Owner Information

Project — Car Wash
Designed by — (P

Approval

Owner - Date - I have reviewed all renderings and I am satisfied with the


look and the scope of work listed within.

This rendering is property of Promotion Plus Sign Co., Inc. and cannot be reproduced without written consent of owner





DETAIL





| Class | Job Location | | |
|-------|---|--|--|
| C | Circle K #2709470 600 Avenida Pico San Clemente, CA 92672 | | |

| Circle K Stores, Inc. | 100 |
|-------------------------|-----|
| 255 E. Rincon St, Suite | 100 |
| Corona, CA. 92879 | |
| 951-270-5118 | |

Owner Information

| Project Intormation | | | | |
|---------------------|------------|--|--|--|
| Project — | — Car Wash | | | |
| Designed by- | —CP | | | |
| | | | | |
| | | | | |

| Approval | | | |
|----------|--|--|--|
| | | | |
| Owner - | | | |

Owner - Date I have reviewed all renderings and I am satisfied with the look and the scope of work listed within.

This rendering is property of Promotion Plus Sign Co., Inc. and cannot be reproduced without written consent of owner

Directional Sign



ACM panels installed over aluminum framing. Vinyl letters and decals applied over panels.



| Class | Job Location | Owner Information | Project Info | rmation | Approval | |
|-------|---|---|------------------------|---------|---|---|
| С | Circle K #2709470 600 Avenida Pico San Clemente, CA 92672 | Circle K Stores, Inc. 255 E. Rincon St, Suite 100 Corona, CA. 92879 951-270-5118 | Project — Designed by- | | Owner - I have reviewed all renderings of look and the scope of work liste This rendering is property of Proand cannot be reproduced with | ed within. omotion Plus Sign Co., Inc. |

ATTACHMENT 3









Directional Signage Recommendations with Images

| | | Recommendation |
|---|--|---|
| Pump Number Wedges (12) | 3 2 Side copy = 4-1/8" End copy = 2-1/2" Side copy = 2-1/2" | Utilize metal mounting detail to make more consistent with design guidelines |
| Air and Water Sign | CIRCLE (S) AIR-WATER | No recommended change |
| Vacuum Sign | VACUUNIVISA | No recommended change |
| Car wash directional – wall mounted (2) | EXIT CAR WASH | Remove red background color Utilize sign/letter type consistent with design guidelines, such as pin mounted metal letters |
| Car wash directional – ground mounted (1) | CAR WASH | Utilize sign type/material consistent with design guidelines, such as metal cutout detail. Relocate into interior of site. Current placement seems to advertise car wash service at street frontage. |
| Car wash automated Point of Sale | | Base and rear of POS white to blend with building. |

| Car wash instructions | PROPARE FOR WASH | • | Remove additional rider – incorporate all signage into one frame. |
|------------------------------|------------------|---|---|
| Car wash timer display | 8.88 8.88 | • | No recommended change. |